# SMOOV<del>e</del>®

THE NEW, WIRELESS, WALL-MOUNTED SWITCH RANGE FROM SOMFY





## Smoove, wall-mounted control unit



#### SUSTAINABLE DESIGN

Customers tend to prefer products that will not only blend in with their current décor, but also have a quality build and appearance that will not look out of place in years to come. Smoove has a pure, simple, timeless appearance that fits into all décors.

#### A SIMPLE CHOICE... WITH A WIDE RANGE OF COMBINATIONS

Smoove central modules come in four different finishes...











... available with a wide range of Somfy frame finishes



### A WIDE RANGE OF FUNCTIONS

#### The feeling of movement... for all applications

#### **For VERTICAL openings**


Interior blinds, patio awnings, roller shutters, vertical garage doors.



#### For HORIZONTAL openings

Curtains & gates.





Stop

#### BENEFITS FOR YOU

#### Intelligence in action

#### Innovative yet simple

#### Offer a customised installation

■ Range of colours and frames to suit all décors.

#### **Easy installation**

- Simple and flexible to install with no wires, no cables and no damage to décor.
- Easy to use, with an audible signal (beep) when the module is switched on via the on/off button.
- Can be mounted on recess boxes in new-build projects.



#### Your customers will appreciate Smoove's innovative features

#### New, timeless look


■ A choice of colors and materials to suit all styles.

#### Touch-sensitive, reliable technology

■ Intuitive, fluid movement for total control over the home.

#### Quick, wire-free installation

■ Smoove is a wireless control unit that is easy to install absolutely anywhere, without damaging the building décor.



#### The "my" function

Sets the favourite position of a product and allows you to recall it instantly by pressing the "my" button. Simple to program and to modify.

#### -Battery low indicator

Indicates low battery life.



#### THE SMOOVE RTS RANGE

#### RTS, the number one radio technology for home openings

**RTS technology** is compatible with all RTS applications powered by Somfy.

The Smoove RTS range controls all Somfy RTS motors for home openings: interior blinds, electric curtain tracks, patio awnings, roller shutters, garage doors and gates.

#### INDIVIDUAL CONTROLS

#### Mechanical control unit

#### **Smoove Origin RTS**

Mechanical wall-mounted control unit. All the features of Smoove with RTS.



#### Touch-sensitive control unit

#### Smoove 1 RTS

Wall-mounted touch-sensitive control unit. Single channel. Up, down, stop, "my" favourite position.



Pure Shine







Silver Shine



Red Light

#### Smoove 1 Open/Close RTS

Wall-mounted touch-sensitive control unit. Single channel. Open, close, stop, "my" favourite position.



Black Shine



Light Bamboo



Amber Bamboo



Cherry

Silver Lounge





MODULE - TECHNICAL SPECIFICATION	
Size	50 x 50 x 10mm
Protection Index	30
Battery	3V - Type CR2430
Battery Lifetime	3 years (nominal use)
Radio Frequency	433.42MHz
Antenna	Integreted
Radio Protocol	RTS
Operating temperature	0°C / +60°C
Weight	24g

FRAMES - TECHNICAL SPECIFICATION	
Size	80 x 80 x 10mm
Wall support size	70 x 70mm

## www.somfy.co.uk

**Somfy Ltd** Moorfield Road Yeadon Leeds West Yorkshire LS19 7BN T. 0113 391 3030 F. 0113 391 3010 e. sales.uk@somfy.com

